

FOCUSING ON
**INDUSTRIAL SOLUTION
FOR THE WORLD**

MULTIFIT
Pipes & Tubes LLP



- **INDUSTRIAL VALVES** • **BUTTWELD FITTING**
- **SOCKET WELD FITTINGS** • **FLANGES** • **PIPES & TUBES**



PED 2014/68/EU CERTIFIED COMPANY

YOUR GLOBAL ONE-STOP PIPING SOLUTION

 www.multifitpipes.com

ABOUT US



Multifit pipes & tubes is a prospering subsidiary of its parent company, Prakash Metal Corporation, commenced in the year 2023.

Prakash Metal Corporation was initiated in the year 1969. Since then Prakash metal corporation has been a roaring success story. It is been providing Indian government companies, Private limited concerns and big Mnc's with unmatched quality products and services for 25 year's and counting.

Multifit pipes & tubes llp which is established as a subsidiary company under the umbrella of Prakash Metal Corporation, our journey began with a clear vision: to excel in the realm of export. Guided by the rich expertise and resources of our parent company, we embarked on a mission to deliver exceptional products to global markets. Committed to quality, innovation, and customer satisfaction, we leverage our deep industry knowledge and state-of-the-art facilities to offer tailored solutions that exceed expectations. As a dedicated team, we are driven by a passion for excellence, integrity, and continuous improvement. Together, we strive to forge enduring partnerships and make a meaningful impact in the global marketplace.

- Over 25 years of industry experience
- Customized solutions for your unique needs
- A commitment to innovation and excellence
- High-quality products crafted with precision



Vision & Mission

We aim to transform the global metal market with innovative Made in India' solutions, advancing technology while earning respect through quality, innovation, and integrity, leaving a lasting positive impact worldwide.



OUR QUALITY

With a focus on excellence in craftsmanship and materials, our products consistently exceed customer expectations, fostering long-term partnerships built on trust



Customer Service

Multifit pipes & tubes llp delivers exceptional customer service in exporting metal pipes and fittings, prioritizing personalized support and exceeding expectations.

OUR PRODUCTS



GATE VALVES

API 600 | API 6D

Material Of Construction :
 CI | CS | SS | AS | WCB | LCB | WC6 | WC9

End Connections :
 Screwed to BSP | BSPT | NPT | Socket Weld | Butt Weld Ends | Flanged Ends | Ring Type Joints (RTJ)

Pressure Rating :
 ASA 125# | 150# | 300# | 400# | 600# | 900# | 1500# | 2500#

Operation :
 Manual | Gear and Electrical Actuated

Size Range :
 25mm to 1200mm



GLOBE VALVES

BS-1873 | ND-16 | ND-40

Material Of Construction :
 CI | CS | SS | AS | LCB | WC6 | WC9

End Connections :
 Screwed to BSP | BSPT | NPT | Socket Weld | Butt Weld Ends | Flanged Ends | Ring Type Joints (RTJ)

Pressure Rating :
 ASA 125# | 150# | 300# | 600# | 900# | 1500# | 2500# | PN 16 | PN 40 | PN 64

Operation :
 Manual | Gear and Electrical Actuated

Size Range :
 15mm to 1000mm



BALL VALVES – FLOATING & TRUNION MOUNTED

API-6D | BS-5351 | BS-5159 | ISO 17292

Material Of Construction :
 CI | CS | SS | AS | A 105 | F304 | F316 | CF3 | CF3M | CN7M

Seat & Seals :
 PTFE | Reinforced PTFE | Buna-N | Graphoil | Graphite

End Connections :
 Screwed to BSPT | NPT | Socket Weld | Butt Weld with extended Nipple | Flanged Ends | Butt Weld Ends

Pressure Rating :
 ASA 150# | 300# | 600# | 800# | 900# | 1500# | 2500#

Type :
 Single Pc | Two Pc | Three Pc | 3 Way | 4 Way

Operation :
 Lever | Gear | Electrical Actuator | Pneumatic Rotary Actuator

Size Range :
 6mm to 750mm



BUTTERFLY VALVES

API 609 | BS-5155 | BS EN 593 | AWWA C504 | IS 13095

Material of Construction :
 CI | DI | CS | SS

Seat & Seals :
 Nitrile | Neoprene | PTFE | Viton | Hypalon | Silicon

End Connections :
 Wafer Type | Double Flanged | Lug End

Pressure Rating :
 ASA 125# | 150# | PN 1.0 | PN 1.6 | PN 20 | PN 2.5

Type :
 Centric Disc Design | Offset Disc Design | Triple Offset Disc Design | High Performance

Operation :
 Lever | Gear | Electrical Actuator | Pneumatic Rotary Actuator

Size Range :
 40mm to 2000mm



NON RETURN VALVES

Material Of Construction :
 CI | CS | SS | AS | LCB | WC6 | WC9

Size Range :
 15mm to 1000mm

SWING TYPE

BS 1868

Flanged End | Butt weld End

Pressure Rating:
 125# | 150# | 300# | 600# | 900# | 1500# | 2500# | PN 16, 40, 64



WAFER CHECK VALVE

API 6D

Wafer Type

Pressure Rating:
 PN 10 | PN 16



NON SLAM DISC CHECK VALVE

BS 7438

Wafer Type

Pressure Rating:
 PN 10 | PN 16 | PN 40



STRAINERS

Material of Construction :
 Cast Iron | Cast Steel | Stainless Steel

End Connections :
 Flanged | Screwed End

Type :
 "Y" Type | "T" Type | Pot Type | Basket Type

Pressure Rating :
 ASA 150# | 300# | PN 40

Size Range :
 15mm to 800mm



DUAL PLATE CHECK VALVE

API 594

Flanged End | Wafer Type

Pressure Rating:
 PN 10 | PN 16



SLUICE & REFLUX VALVES

IS 14846 | IS 5312

Material Of Construction :
Body : Cast Iron | C.S. with G.M. or S.S. Internals

End Connections :
Flanged Ends

Pressure Rating :
Rating : PN 0.6 | PN 1.0 | PN 1.6
Body : 0.9 Mpa | 1.5 Mpa | 2.4 Mpa
Seat : 0.6 Mpa | 1.0 Mpa | 1.6 Mpa

Type :
Inside Screw (Non Rising Spindle)
for Sluice | Outside Screw
(Rising Spindle) for Gate

Size Range :
50mm to 1200mm



KNIFE EDGE GATE VALVE | PULP VALVE

MSS SP-81

Material of Construction :
Body : C.I | CS | SS

End Connections :
Flanged End | Wafer Lugg Type

Type :
UNI-DIRECTIONAL | BI-DIRECTIONAL

Operation :
Handwheel | Gear | Pneumatic Cylinder

Pressure Rating :
PN 10 | PN 16

Size Range :
50mm TO 1200mm



PFA LINED VALVES

API-599 | BS-5158 | BS-5351 | BS-5159 | BS-5155

Material of Construction :
Ductile Iron | CS

Type :
Butterfly | Plug | Ball | Ball Check & Diaphragm Valves

Lining :
FEP | PFA | PTFE | PVDF Lined Valves

Ends :
Wafer & Lugged End Type for Butterfly & Flanged End

Size Range :
25mm to 200mm



PLUG VALVES

BS-5158 | BS- 5353 | API- 599 | API 6D

Material of Construction :
CI | DI | CS | SS

Type :
PTFE Sleeved | Lubricated | Non-Lubricated

End Connections :
Screwed | Flanged | Butt weld

Pressure Rating :
Class 150#

Size Range :
25mm to 200mm



FORGED STEEL VALVES - GATE, GLOBE, CHECK | "T" - TYPE STRAINERS

API 602 | BS-5352

Material of Construction :
ASTM A 105 | F304 | F304L | F316 | F316L | F5 | F9 | F11 | F22

End Connections :
Socketweld | Screwed | Butt Weld
Flanged End

Type :
Straight Pattern | "Y" Type Pattern

Pressure Rating :
ASA 150# | 300# | 600# | 800# | 1500# | 2500#

Size Range :
15mm to 50mm



DIAPHRAGM VALVES

BS-5156 | BS 6755-1

Material of Construction :
CI | CS | SS

Lining Options :
Rubber Lined | Glass Lined | Unlined

End Connections :
Screwed | Flanged End

Pressure Rating :
PN 10 | PN 16 | 150# Class

Size Range :
25mm to 400mm



AIR VALVES

IS 14845

Material of Construction :
CI | CS | GM

End Connections :
Screwed | Flanged End

Type :
Single Acting | Double Acting | Kinetic Type Isolating

Pressure Rating :
ASA 125# | 150# | 300# | PN 1.6

Size Range :
25mm to 600mm



SAFETY VALVE

API 526

Material of Construction :
CS | SS

End Connections :
Flanged End

Type :
Ordinary Lift Type | High Lift Type | Full Lift Type

Pressure Rating :
ASA 150# | 300# | PN 40

Size Range :
25mm to 200mm



STEAM TRAPS

IS 12268

Material of Construction :

CI | CA 15 | CF8 | CF8M | A 105 | F11 | F22

End Connections :

Screwed | Socket | Flanged End

Type :

Thermo Dynamic (TD-3) | Horizontal Float Type | Vertical Inverted Bucket Type | Horizontal Inverted Bucket Type

Pressure Rating :

ASA 800# | 1500# | 2500#

Max Inlet Pressure :

10 Kg/Cm² | 30 Kg/Cm² | 248 Kg/Cm² AT 204° C

Size Range :

15mm to 25mm - TD-3

15mm to 50mm - Float & Bucket type



FABRICATED VALVE RANGE

• BUTTERFLY VALVES

Size Range :

40mm to 3000mm

• STRAINERS

- Pot Type
- Basket Type
- "T" Type
- Duplex Type

Size Range :

15mm to 1200mm



STAINLESS STEEL - GATE | GLOBE | NRV

SCREWED END

Material of Construction :

SS 304 | SS 316 | SS 304L | SS 316L

End Connections :

Screwed to BSP | BSPT | NPT |

Socketweld to ASME B 16.11

Pressure Rating :

Body : 425 Psig (30 Kg/Cm²)

Seat : 300 Psig (21 Kg/Cm²)

Size Range :

15mm to 50mm



TUBE GLASS & DOUBLE WINDOW SIGHT GLASS

Material of Construction :

CS | SS

End Connections :

Flanged

Pressure Rating :

ASA 150#

Size Range :

15mm to 150mm




GUN METAL | BRONZE VALVES

- Gate Valve as per IS 778 CL-I
- Globe Valve as per IS 778 CL-I
- Horizontal Non Return Valve as per IS 778 CL-I
- Steam Stop Valve



BRANDS WE DEAL IN



FERRULE FITTINGS

STANDARD

ASTM A276, ASME SA479,
ASTM A182, ASME SA182

MATERIAL

STAINLESS STEEL
(SS304 & SS316), BRASS, TITANIUM,
AND SPECIAL ALLOYS

SIZE RANGE

FRACTIONAL TUBE(INCH)-1/16"-1 1/2" ,
METRIC TUBE(MM)-2MM-38MM

PRESSURE RATING

3000psi-10000psi

THREADS

NPT, BSPT, BSP



High Pressure 2 Way & 3 Way Ball Valves (Instrumentation Valves)

Features

- Compact design
- Available in SS 316
- Panel mounting
- Trunnion ball design with bearing support
- Variety of end configurations
- Factory tested

Connection & Size


- Connection : NPT & BSPT pipe connections
- Size : 6 mm to 16 mm Tube OD
- Pipe Thread Size : 1/4" to 1/2"

Operating Range

- Pressure : Up to 6000 psig (408 bar) at CWP
- Temperature : -45°C to 160°C

Application

- Instrument air lines
- CNG & other gas application
- General plant service
- High pressure instrument lines



Needle Valves (Instrumentation Valves)

Features

- Available in various type of materials
- Bar stock body design
- Panel mounting
- Variety of stem tips
- Variety of end configurations
- Factory tested

Connection & Size


- Connection : Male/Female NPT, BSPT, BSPP-
pipe and tube socket weld connections
- Size : 3 mm to 16 mm Tube OD
- Pipe Thread Size : 1/8" to 3/4"

Operating Range

- Pressure : Up to 10000 psig (680 bar) at CWP
- Temperature : -10°C to 200°C with FKM O-Ring
- 45°C to 230°C with PTFE packing
- 45°C to 420°C with graphite packing

Application

- Instrument isolation
- Hydraulic & Pneumatic line
- General plant service
- Pressure measurement device
- Venting



Block & Bleed Valves(Instrumentation Valves)

➤ Features

Available in various type of materials
 Low operating torques
 Anti-blow-out stem
 Available with in various type of seal materials
 Factory tested

➤ Connection & Size


Connection : Inlet 1/2" to 2" Flanged
 Outlet 1/2" NPT Female
 Vent 1/4" or 1/2" NPT Female

➤ Operating Range

Pressure : Class 150 to 2300
 Temperature : -20°C to 200°C

➤ Application

Chemical injection & sample connection
 Piping / instrument interface.
 Direct mounting of instruments
 Remote mounting of instruments
 Gauge isolation, Instrument drain.
 Double block & bleed instrument isolation



2 Way /3 Way /5 Way Manifold Valves (Instrumentation Valves)

➤ Features

Available in SS 316
 Low operating torques
 Available with 2 way, 3 way and 5 way valve
 Variety of end connections & configuration
 Factory tested

➤ Connection & Size


Connection : NPT, BSP, BSPT
 Size : Pipe Thread Up to 1/2"

➤ Operating Range

Pressure : Up to 6000 psig (408 bar) at CWP
 Temperature : -40°C to 220°C with PTFE packing
 -45°C to 420°C with graphite packing

➤ Application

Pressure equalization
 General plant service
 Differential pressure Instrumentation devices
 Block and bleed applications
 Venting



Monoflange Valves(Instrumentation Valves)

➤ Features

Available in various type of materials
 Low operating torques
 Anti-blow-out stem
 Available with bolted & integral screwed bonnet design
 Factory tested

➤ Connection & Size


Connection : Inlet 1/2" to 2" Flanged
 Outlet 1/2" NPT Female
 Vent 1/4" NPT Female

➤ Operating Range

Pressure : Class 150 to 2300
 Temperature : -20°C to 200°C with PTFE packing
 -20°C to 420°C with graphite packing

➤ Application

Chemical injection & sample connection
 Piping / instrument interface.
 Direct mounting of instruments
 Remote mounting of instruments
 Gauge isolation, Instrument drain.
 Double block & bleed instrument isolation



BRANDS WE DEAL IN



PIPES

Range	: 15 NB To 600 NB in Sch. 5,10,20,30,40,60,80,100,120,140,160,XXS
Stainless Steel	: ASTM A312, A358 - TP 304,H, L, 316, H,L,Ti, 309, 310,317L, 321, 347, 904 L etc.
Carbon Steel	: ASTM A-106 Gr. B, ASTM A 53, API 5L
Low Temperature	: ASTM -333 Gr. 6
Alloy Steel	: ASTM A 335- P5, P9, P11, P12, P21, P22 & P91 (with IBRTTest Certificate)
Mild Steel & Galvanised. Pipe	: IS 1239, IS 3589 (Fe 330, Fe 410)
Nickel Alloy	: Cupro Nickel, Hastelloy, Nickel, Monel, Inconel, Alloy 20 Etc.
Non Ferrous Metals	: Copper, Brass & Lead
Form	: Round, Square, Rectangle, Hydraulic, Horn Tube Etc
Length	: Standard length & Cut length
Value Added Services	: Draw,Polish, Galvanizing, Heat Treatment, Sand Blasting, Machining Etc.
Test Certificate	: MTC, IBR TC, Lab.TC from Govt. App. Lab. with Third Party Inspection
Specialize	: IBR Pipes, Fabricated Pipes (with Radiography) & Odd size Etc.



TUBES

Range	: 1/4" OD to 12" OD in Guage: 22 Swg. to 10 Swg.
Stainless Steel-	: ASTM A-213 & A-249-TP 304,H,L, 316,H,L,Ti, 309,310,317L,321,347, 904.L, 202
Alloy Steel Tube-	: ASTM A 213 - T-11, T-12, T-22, T-5, T-9 Etc.
Carbon Steel Tube-	: BS 3059 Gr. 360/440, SA, 179, SA/ ASTM A210Gr. A 1
Nickel Alloy-	: Cupro Nickel, Hastelloy, Nickel, Monel, Inconel, Alloy 20 Etc.
Non Ferrous Metals-	: Copper (Dow & PVC), Admiralty Brass, Aluminium Brass.
Other Pipes & Tubes-	: ERW / CDW Boiler Tubes, Air Heater Tubes & Cold Drawn Seamless Tubes.
Special Tube-	: Capillary Tube, Precision Tubes Etc.
Form-	: Round, Square, Rectangle, Coil, 'U' Shap, Hydraulic Tube & Horn Tube.
Length-	: Standard length & Cut length
Other Services-	: Draw, Polish (Electro & Comm.), Heat Treatment, Bending, Machining Etc.
Test Certificate-	: MTC, IBR TC, Lab.TC from Govt. App. Lab. with Third Party Inspection
Specialize	: • Capillary Tube, IBR Tubes, Cupro Nickel Tube, Dioxide Copper Tube. • Square, Rectangle & Other Odd Size



BUTT WELD FITTINGS

Range	: 15 NB To 600 NB in Sch. 5,10,20,30,40,60,80,100,120,140,160,XXS
Type	: Bend - Long & Short, Radius to 1.5D, 3D,5D,6D,10D etc. Elbow - 45 Deg., 90 Deg. & 180 Deg. Tee - Barred, Equal, Unequal, Reducer - Con & Ecc, CAP, Nipple - Swage & Barrel, Stubend - Long & Short, Etc.
Stainless Steel	: ASTM A403 WP - TP 304,H,L, 316,H,L,Ti, 309,310,317L,321,347, 904 L, 202
Carbon Steel	: ASTM A 234 WPB, A-420 WPL6
Alloy Steel	: ASTM A234WP- P5, P9, P11, P12, P21, P22&P91.
Mild Steel & Galvanised	: ISI Mark
Nickel Alloy	: Cupro Nickel, Hastelloy, Nickel, Monel, Inconel, Alloy 20 Etc.
Other Form of Fitting	: DAIRY FITTING & ALSO AS PER DRAWING
Other Services	: Polish,Heat Treatment,Galvanizing, Sand Blasting, Etc.
Test Certificate	: MTC, IBR TC, Lab.TC from Govt. App. Lab. with Third Party Inspection
Specialize	: • Long Bend with Radius R=3D, 5D, 10D Etc. • Pigabble Bend, IBR Fitting, Barred Tee Etc.



FORGED FITTINGS

Range	: 15 NB To 100 NB in LBS : 3000#, 6000#, 9000#
Form	: S/W. & SCRD.
Type	: Elbow , Tee , Union, Cross, Swage Nipples .Coupling, CAP, Plug, Bush, Sokolet, Weldolet, Thredolet, Elbolet, Nipolet
Stainless Steel	: ASTM A 182 F - .304,H,L, 316,H,L,Ti, 309,310,317L,321,347,904L
Carbon Steel	: ASTM A-105, A-350 LF2
Alloy Steel	: ASTM A 182- F5, F9, F11, F12, F21, F22& F91.
Nickel Alloy	: Cupro Nickel, Hastelloy, Nickel, Monel. Inconel . Alloy 20 Etc.
Other Form of Fitting	: COMPRESSION / INSTRUMENTATION / HYDRAULIC & AS PER DRAWING
Other Services	: Heat Treatment, Galvanizing, Sand Blasting, Machining, Threading Etc.
Test Certificate	: MTC, IBR TC, Lab.TC from Govt. App Lab. with Third Party Inspection
Specialize	: IBR Fitting, Swage Nipple.



FLANGES

Range	: 15 NB to 750 NB - LBS : 150#, 300#, 600#, 900#, 1500# & 2500# : Table : ASA 150 & ASA 300-D, E, F, H, DIN.ND-6, 10, 16, 25.40 Etc.
Type	: SORF, WNRF, BLRF, SWRF, LAP Joint, Threaded, Reducing, Spectacle Etc.
Stainless Steel	: ASTM A-182 & A-240 : F- 304,H,L, 316,H,L,Ti, 309,310,317L,321,347, 904L.
Carbon Steel	: ASTM A 105, A-350 LF 2, IS 2062, A-516 Etc.
Alloy Steel	: ASTM A 182 - F5, F9, F11, F12, F21, F22 & F91.
Nickel Alloy	: Cupro Nickel, Hastelloy, Nickel, Monel, Inconel, Alloy 20 Etc.
Duplex	: ASTM A 182 - F 51, 815, S 31803 Etc.
Other Services	: Heat Treatment, Galvanizing, Machining, Threading as per Guage Etc.
Test Certificate	: MTC, IBR TC, Lab.TC from Govt. App. Lab. with Third Party Inspection
Specialize	: IBR Flanges , Long Neck Weld Flange, Spectacle etc.



BAR

Range	: Dia 5mm to 500mm & Length 500mm to 6000mm
Nickel Alloy	: Cupro Nickel, Hastelloy, Nickel, Monel, Inconel, Alloy 20 Etc.
Non Ferrous Metal	: Copper, Brass . Aluminium , Phosphorus Bronze, Gun Metal, Lead etc.
Stainless Steel	: ASTM A-479, A-182 - 304,H,L, 316,H,L,Ti, 309,310,317L,321,347, 409, 410, 420, 430, 440 (A, B, C), 446, 904L, 202 Etc.
Alloy Steel	: A-182 - F5, F9, F11, F12, F21, F22 & F91
High Speed Steel (HSS), HCHCR & OHNS in Grade	: M2, M3, M35, M42, T-1, T-4, T-15, T-42, D2, D3, H11, H13, OHNS-O1 & EN52
Duplex & Special Grade	: UNS 2507, 2205, 329L, Stainless Steel 17-4 PH.15.5 PH, 4122 Etc.
Carbon Steel	: A 105, LF 2
Other Grade	: Copper Alloy, Brass Alloy, Aluminium Alloy, Zinc, Bi-Metals, Leaded Spring Steel, Silver Steel, Plastic Mould Steel, EN Series
Finish	: Bright, Polish & Black
Form	: Round, Square, Hex (A/F), Bush, Rectangle, Flat, Block, Billet, Ingot, etc.
Hardness	: Soft, Hard, Half Hard, Quarter Hard Etc.
Other Services	: Forging, Rolling, Casting, Machining (CNC), Centreless Grinding (CG), Heat Treatment, Polish, Anodising, Cutting, Bending, Minor Fabrication,
Test Certificate	: MTC, IBR TC, Lab.TC from Govt. App. Lab. with Third Party Inspection
Specialize	: • 17-4PH, 440C, CG, Forging, IBR Approved, Copper E/c Grade .



FASTNERS

Range	: M10 TO M100 - Lenqth upto 5 Mtrs
Type	: Stud Bolts (Hex, Eye, Square, Frictiongrip, Structural, Foundation, U,.J,) Nuts (Nylock, Lock), Washer (Star, Plain), Allen Caps, Screws (CSK, Pen Head, Philip, Mushroom, Cheese), Clamp (U, J, L), Grab, Rivet (Pop & Hollo), Cutter Pin, Nails Etc.
Stainless Steel	: ASTM A-193 & A194 Gr.B8, B8M, B8C, 8,8M,8C etc
High Tensile	: ASTM A-193 & A194 Gr.B7, B7M, B16, L7, L43, 2H, 2HM,
Other Material	: Nickel Alloy , Mild Steel, Alloy Steel, Aluminium, Copper, Brass,
Nickel Alloy	: Cupro Nickel, Hastelloy, Nickel, Monel, Inconel, Alloy 20 Etc.
Other Services	: Hot Dip Galvanizing, Phosphat,Teflon,xylon Coated, Zinc & Cadmium Plated,
Test Certificate	: Mill Test Certificate & Under Third Party Inspection
Specialize	: Stud Bolts & Washer.



GASKET

Range	: 1" - 24" (Customized Size Also Available According To Customer Demand)
Type	: Asbestos & Non Asbestos, Spiral Wound Gasket, O Ring
Design Type	: Full Face & Ring Types
Material	: Virgin , PTFE , Teflon , Metallic, SS 304, SS 316, Carbon Steel
Industrial Uses	: Chemical processing, Power generation, Petrochemical and Deep Sea, Oil & Gas Mining, Military, Aerospace
O-Ring Material	: Silicone, Nitrile, PTFE (Teflon)



BRANDS WE DEAL IN



QUALITY CERTIFICATION



Certificate of Registration

This is to certify that

MULTIFIT PIPES & TUBES LLP

GROUND FLOOR, 150A, PLOT-150, COOPER COMPOUND, DURGADEVI UDYAN, 6TH KUMBHARWADA, GIRGAON, MUMBAI, MAHARASHTRA - 400004, INDIA

has been independently assessed by QRO and is compliant with the requirement of:

ISO 14001:2015

Environmental Management System

For the following scope of activities:

MANUFACTURE AND SUPPLY OF STAINLESS STEEL, ALLOY STEEL, CARBON STEEL, DUPLEX STEEL, NICKEL ALLOYS AND VARIOUS TYPES OF FERROUS AND NON FERROUS ALLOYS IN SHAPE OF PIPES, PIPE FITTINGS, TUBES, FLANGES, INDUSTRIAL VALVES, SHEETS, PLATES, ROUND BAR, TUBE FITTINGS AND FASTENERS.

Date of Certification: 14th November 2024 2nd Surveillance Audit Due: 13th November 2026
1st Surveillance Audit Due: 13th November 2025 Certificate Expiry: 13th November 2027

Certificate Number: 305024111411E



Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit. (In case surveillance audit is not allowed to be conducted; this certificate shall be suspended / withdrawn).
The Validity of this certificate can be verified at www.qrocert.org
This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.

India Office : QRO Certification LLP
142, 1st Floor, Avtar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA)
Website : www.qrocert.org, E-mail : info@qrocert.org



Certificate of Registration

This is to certify that

MULTIFIT PIPES & TUBES LLP

GROUND FLOOR, 150A, PLOT-150, COOPER COMPOUND, DURGADEVI UDYAN, 6TH KUMBHARWADA, GIRGAON, MUMBAI, MAHARASHTRA - 400004, INDIA

has been independently assessed by QRO and is compliant with the requirement of:

ISO 45001:2018

Occupational Health and Safety Management System

For the following scope of activities:

MANUFACTURE AND SUPPLY OF STAINLESS STEEL, ALLOY STEEL, CARBON STEEL, DUPLEX STEEL, NICKEL ALLOYS AND VARIOUS TYPES OF FERROUS AND NON FERROUS ALLOYS IN SHAPE OF PIPES, PIPE FITTINGS, TUBES, FLANGES, INDUSTRIAL VALVES, SHEETS, PLATES, ROUND BAR, TUBE FITTINGS AND FASTENERS.

Date of Certification: 14th November 2024 2nd Surveillance Audit Due: 13th November 2026
1st Surveillance Audit Due: 13th November 2025 Certificate Expiry: 13th November 2027

Certificate Number: 305024111412HS



Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit. (In case surveillance audit is not allowed to be conducted; this certificate shall be suspended / withdrawn).
The Validity of this certificate can be verified at www.qrocert.org
This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.

India Office : QRO Certification LLP
142, 1st Floor, Avtar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA)
Website : www.qrocert.org, E-mail : info@qrocert.org

ZERTIFIKAT ◆ CERTIFICATE ◆ CERTIFICADO ◆ CERTIFICATE



Certificate of Compliance

Hereby Declare That the Technical File of Product Complied with the Requirement of the Pressure Equipment Directive (PED) (2014/68/EU)

MULTIFIT PIPES & TUBES LLP

REGISTERED ADDRESS:- GROUND FLOOR, 150A, PLOT-150, COOPER COMPOUND, DURGADEVI UDYAN, 6TH KUMBHARWADA, GIRGAON, MUMBAI, MAHARASHTRA -400004, INDIA.

Has been assessed and found in as per PED compliance to the requirement of standard details below.

PED

For The Following Scope Of Activities :

MANUFACTURE AND SUPPLY OF STAINLESS STEEL, ALLOY STEEL, CARBON STEEL, DUPLEX STEEL, NICKEL ALLOY AND VARIOUS TYPES OF FERROUS AND NON FERROUS ALLOYS IN SHAPE OF PIPES PIPE FITTINGS, TUBES FLANGES, INDUSTRIAL VALVES SHEETS, PLATES, ROUND BAR, TUBE FITTINGS AND FASTENERS.

APPLICABLE DIRECTIVE:- PRESSURE EQUIPMENT DIRECTIVE (PED) (2014/68/EU)

The Certification body has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according to the

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above Referenced models and it does not substitute the design or type-examination Procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality Systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits. The PED as shown above can be used, under the responsibility of the Manufacturer, after Completion of an PED Declaration of conformity and Compliance with all relevant.
4. The statement is based on a single evaluation of one sample of above Mentioned product. It does not imply an assessment of the whole production.

This certificate is property of Unitas Certification Services & remains valid subject to Satisfactory surveillance Audit.

Certificate No:- 8899

Surveillance Date:- (05-OCT-2025)

Registration Date:- (06-NOV-2024)

Certificate Expiry:- (05-NOV-2027)



Chairman
Unitas Certification Services



The certificate is valid as long the organization's meet unitas certification services's requirements. The status of the certificate may be checked at www.unitascertificationservices.co.uk

UNITAS CERTIFICATION SERVICES

Head Office : 54 Ennerdale Close, Lake, Estate, Bletchley, Milton Keynes, Buckinghamshire, MK2 3DQ-UK
website : www.unitascertificationservices.co.uk / email : info@unitascertificationservices.co.uk



Certificate of Registration

This is to certify that

MULTIFIT PIPES & TUBES LLP

GROUND FLOOR, 150A, PLOT-150, COOPER COMPOUND, DURGADEVI UDYAN, 6TH KUMBHARWADA, GIRGAON, MUMBAI, MAHARASHTRA - 400004, INDIA

has been independently assessed by QRO and is compliant with the requirement of:

ISO 9001:2015

Quality Management System

For the following scope of activities:

MANUFACTURE AND SUPPLY OF STAINLESS STEEL, ALLOY STEEL, CARBON STEEL, DUPLEX STEEL, NICKEL ALLOYS AND VARIOUS TYPES OF FERROUS AND NON FERROUS ALLOYS IN SHAPE OF PIPES, PIPE FITTINGS, TUBES, FLANGES, INDUSTRIAL VALVES, SHEETS, PLATES, ROUND BAR, TUBE FITTINGS AND FASTENERS.

Date of Certification: 14th November 2024 2nd Surveillance Audit Due: 13th November 2026
1st Surveillance Audit Due: 13th November 2025 Certificate Expiry: 13th November 2027

Certificate Number: 305024111410Q




Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit. (In case surveillance audit is not allowed to be conducted; this certificate shall be suspended / withdrawn).

The Validity of this certificate can be verified at www.qrocert.org
This certificate of registration remains the property of QRO Certification LLP, and shall be returned immediately upon request.

India Office : QRO Certification LLP
142, 1st Floor, Avtar Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA)
Website : www.qrocert.org, E-mail : info@qrocert.org

PRODUCT GALARY





MPT

MULTIFIT Pipes & Tubes LLP

: Stockist and Suppliers of :

SS, CS, AS, Seamless Pipes, Pipe Fittings, Valves & Industrial Raw Material



PED 2014/68/EU CERTIFIED COMPANY

📍 : 150 A, Plot 150, Cooper Compound, Durgadevi Udyan,
6th Kumbharwada, Girgaon, Mumbai - 400004.

☎ : +91-75068 61212 ✉ : multifitpipesllp@gmail.com / exports@multifitpipes.com

🌐 : www.multifitpipes.com • GSTIN : 27ABXFM2925Q1Z8